

FORM PTO-1390 (Modified) (REV 11-2000)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER 206542US0PCT	
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371				U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR <div style="font-size: 1.5em; font-weight: bold; text-align: center;">09/807997</div>	
INTERNATIONAL APPLICATION NO. PCT/JP99/06159		INTERNATIONAL FILING DATE 5 November 1999		PRIORITY DATE CLAIMED 5 November 1998 (Earliest)	
TITLE OF INVENTION METHOD FOR CLASSIFYING SPECIFIC TISSUE OF OILSEEDS OR CEREALS AND FINELY CRUSHED POWDERS					
APPLICANT(S) FOR DO/EO/US Yoichi OZAWA, et al.					
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information: <ol style="list-style-type: none"> 1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. 3. <input checked="" type="checkbox"/> This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (24) indicated below. 4. <input checked="" type="checkbox"/> The US has been elected by the expiration of 19 months from the priority date (Article 31). 5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371 (c) (2)) <ol style="list-style-type: none"> a. <input type="checkbox"/> is attached hereto (required only if not communicated by the International Bureau). b. <input checked="" type="checkbox"/> has been communicated by the International Bureau. c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US). 6. <input checked="" type="checkbox"/> An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)). <ol style="list-style-type: none"> a. <input checked="" type="checkbox"/> is attached hereto. b. <input type="checkbox"/> has been previously submitted under 35 U.S.C. 154(d)(4). 7. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3)) <ol style="list-style-type: none"> a. <input type="checkbox"/> are attached hereto (required only if not communicated by the International Bureau). b. <input type="checkbox"/> have been communicated by the International Bureau. c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired. d. <input checked="" type="checkbox"/> have not been made and will not be made. 8. <input type="checkbox"/> An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). 9. <input checked="" type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)). 10. <input type="checkbox"/> An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)). 11. <input type="checkbox"/> A copy of the International Preliminary Examination Report (PCT/IPEA/409). 12. <input checked="" type="checkbox"/> A copy of the International Search Report (PCT/ISA/210). <p>Items 13 to 20 below concern document(s) or information included:</p> <ol style="list-style-type: none"> 13. <input type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 14. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. 15. <input checked="" type="checkbox"/> A FIRST preliminary amendment. 16. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment. 17. <input type="checkbox"/> A substitute specification. 18. <input type="checkbox"/> A change of power of attorney and/or address letter. 19. <input type="checkbox"/> A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825. 20. <input type="checkbox"/> A second copy of the published international application under 35 U.S.C. 154(d)(4). 21. <input type="checkbox"/> A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4). 22. <input type="checkbox"/> Certificate of Mailing by Express Mail 23. <input checked="" type="checkbox"/> Other items or information: <div style="margin-top: 10px;"> <div style="display: flex; justify-content: space-between;"> <div> PCT/IB/304 PCT/IB/308 Drawings (2 Sheets) Request for Consideration of Documents Cited in International Search Report </div> <div style="text-align: right;"> Notice of Priority </div> </div> </div>					

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR

INTERNATIONAL APPLICATION NO.

ATTORNEY'S DOCKET NUMBER

09/807997

PCT/JP99/06159

206542US0PCT

24. The following fees are submitted:

BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)) :

- ☐ Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$1000.00
- ☒ International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$860.00
- ☐ International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$710.00
- ☐ International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$690.00
- ☐ International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) \$100.00

ENTER APPROPRIATE BASIC FEE AMOUNT =**CALCULATIONS PTO USE ONLY**

\$860.00

Surcharge of \$130.00 for furnishing the oath or declaration later than ☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492 (e)).

\$0.00

CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE
Total claims	20 - 20 =	0	x \$18.00
Independent claims	3 - 3 =	0	x \$80.00

\$0.00

\$0.00

Multiple Dependent Claims (check if applicable). ☐

\$0.00

TOTAL OF ABOVE CALCULATIONS =

\$860.00

☒ Applicant claims small entity status. (See 37 CFR 1.27). The fees indicated above are reduced by 1/2.

\$0.00

SUBTOTAL =

\$860.00

Processing fee of \$130.00 for furnishing the English translation later than ☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492 (f)).

\$0.00

TOTAL NATIONAL FEE =

\$860.00

Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable). ☐

\$0.00

TOTAL FEES ENCLOSED =

\$860.00

Amount to be:

refunded

\$

charged

\$

- a. ☒ A check in the amount of \$860.00 to cover the above fees is enclosed.
- b. ☐ Please charge my Deposit Account No. _____ in the amount of _____ to cover the above fees. A duplicate copy of this sheet is enclosed.
- c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.
- d. ☐ Fees are to be charged to a credit card. **WARNING:** Information on this form may become public. **Credit card information should not be included on this form.** Provide credit card information and authorization on PTO-2038.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

Telephone: (703)413-3000

Fax: (703)413-2220

Surinder Sachar
Registration No. 34,423



22850

SIGNATURE

Norman F. Oblon

NAME

24,618

REGISTRATION NUMBER

DATE

May 4 2001

09/807997

Variable	Mean	SD	Min	Max
Age	35.2	12.5	18	65
Gender	Male	10.5	0	20
Marital status	Married	15.2	0	20
Education	High school	12.5	0	20
Occupation	Unemployed	10.5	0	20
Income	Low	10.5	0	20
Health status	Good	15.2	0	20
Stress level	High	10.5	0	20
Life satisfaction	Low	10.5	0	20
Depression	High	10.5	0	20
Anxiety	High	10.5	0	20
Loneliness	High	10.5	0	20
Self-esteem	Low	10.5	0	20
Resilience	Low	10.5	0	20
Optimism	Low	10.5	0	20
Gratitude	Low	10.5	0	20
Forgiveness	Low	10.5	0	20
Empathy	Low	10.5	0	20
Compassion	Low	10.5	0	20
Kindness	Low	10.5	0	20
Generosity	Low	10.5	0	20
Patience	Low	10.5	0	20
Humility	Low	10.5	0	20
Modesty	Low	10.5	0	20
Shyness	High	10.5	0	20
Introversion	High	10.5	0	20
Neuroticism	High	10.5	0	20
Conscientiousness	Low	10.5	0	20
Agreeableness	Low	10.5	0	20
Openness	Low	10.5	0	20
Extraversion	Low	10.5	0	20
Stability	Low	10.5	0	20
Control	Low	10.5	0	20
Autonomy	Low	10.5	0	20
Competence	Low	10.5	0	20
Self-efficacy	Low	10.5	0	20
Self-regulation	Low	10.5	0	20
Self-motivation	Low	10.5	0	20
Self-discipline	Low	10.5	0	20
Self-control	Low	10.5	0	20
Self-awareness	Low	10.5	0	20
Self-reflection	Low	10.5	0	20
Self-examination	Low	10.5	0	20
Self-analysis	Low	10.5	0	20
Self-criticism	Low	10.5	0	20
Self-compassion	Low	10.5	0	20
Self-kindness	Low	10.5	0	20
Self-acceptance	Low	10.5	0	20
Self-approval	Low	10.5	0	20
Self-encouragement	Low	10.5	0	20
Self-empowerment	Low	10.5	0	20
Self-actualization	Low	10.5	0	20
Self-fulfillment	Low	10.5	0	20
Self-achievement	Low	10.5	0	20
Self-actualization	Low	10.5	0	20
Self-fulfillment	Low	10.5	0	20
Self-achievement	Low	10.5	0	20
Self-actualization	Low	10.5	0	20
Self-fulfillment	Low	10.5	0	20
Self-achievement	Low	10.5	0	20
Self-actualization	Low	10.5	0	20
Self-fulfillment	Low	10.5	0	20
Self-achievement	Low	10.5	0	20
Self-actualization	Low	10.5	0	20
Self-fulfillment	Low	10.5	0	20
Self-achievement	Low	10.5	0	20
Self-actualization	Low	10.5	0	20
Self-fulfillment	Low	10.5	0	20
Self-achievement	Low	10.5	0	20
Self-actualization	Low	10.5	0	20
Self-fulfillment	Low	10.5	0	20
Self-achievement	Low	10.5	0	20
Self-actualization	Low	10.5	0	20
Self-fulfillment	Low	10.5	0	20
Self-achievement	Low	10.5	0	20
Self-actualization	Low	10.5	0	20
Self-fulfillment	Low	10.5	0	20
Self-achievement	Low	10.5	0	20
Self-actualization	Low	10.5	0	20
Self-fulfillment	Low	10.5	0	20
Self-achievement	Low	10.5	0	20
Self-actualization	Low	10.5	0	20
Self-fulfillment	Low	10.5	0	20
Self-achievement	Low	10.5	0	

-1-

IN THE CLAIMS

Please amend the claims as shown in the marked-up copy and add new Claims 18-20 as follows:

8. (Amended) A method according to Claim 1 wherein the classification is carried out based on the difference in specific volume or grain size of the crushed fine structure.
9. (Amended) A method according to Claim 1 wherein the material is the fraction.
10. (Amended) A fraction derived from the fine structure portions of a specific tissue of oilseeds or cereals, which is obtained by the method according to Claim 1.
12. (Amended) An ultra-finely crushed powder according to Claim 11 wherein the material is selected from the group consisting of soybean hull, dry "okrara" or soybean pulp, soybean germ, corn germ cake, corn outer hull, rapeseed cake, and wheat germ.
14. (Amended) A method for producing ultra-finely crushed powder according to Claim 13 wherein the crushing is carried out in the dry state by using high-speed compressed air or high-speed compressed gas.
15. (Amended) Food stuff comprising the ultra-finely crushed powder according to Claim 11.
16. (Amended) Culture medium for bacteria comprising the ultra-finely crushed powder according to Claim 11.
17. (Amended) Filler for shaping containers comprising the ultra-finely crushed powder according to Claim 11.
18. (New) Food stuff comprising the ultra-finely crushed powder obtained by the method according to Claim 13.
19. (New) Culture medium for bacteria comprising the ultra-finely crushed powder obtained by the method according to Claim 13.


20. (New) Filler for shaping containers comprising the ultra-finely crushed powder obtained by the method according to Claim 13.

REMARKS

Claims 1-20 are active in the present application. The claims are amended to remove multiple dependencies and to incorporate amendments entered during the international stage of this application. Support for Claims 18-20 is found in Claims 15-17. No new matter is added. An action on the merits and allowance of the claims is solicited.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.



Norman F. Oblon
Attorney of Record
Registration No. 24,618

Daniel J. Pereira, Ph.D.
Registration No. 45,518



22850

(703) 413-3000
Fax #: (703) 413-2220
NFO:DJP\cct

I:\user\DJPER\206542US-pr.wpd

Marked-Up Copy

Serial No: _____

Amendment Filed on: _____

IN THE SPECIFICATION

Please amend the specification as follows:

Page 5, third line from the end to Page 6, line 2, replace the text in its entirety with the following:

--The term "specific tissue of oilseeds or cereals" means in this specification any tissues other than cotyledon, albumen, defatted soybean and wheat bran, which may be classified into their fine structure portions, including, for example, hulls (seed coat), germ, oil and fat-extraction cake, protein-extraction cake and the like.--

IN THE CLAIMS

Please amend the claims as follows:

--8. (Amended) A method according to [one of Claims 1-7] Claim 1 wherein the classification is carried out based on the difference in specific volume or grain size of the crushed fine structure.

9. (Amended) A method according to [one of Claims 1-7] Claim 1 wherein the material is the fraction [obtained by the method according to one of Claims 1-7].

10. (Amended) A fraction derived from the fine structure portions of a specific tissue of oilseeds or cereals, which is obtained by the method according to [one of Claims 1-9] Claim 1.

11. (Amended) An ultra-finely crushed powder having 50% grain size of 6 μm or

less, which is obtained from the material of a specific tissue of oilseeds or cereals.

12. (Amended) An ultra-finely crushed powder according to Claim 11 wherein the material is selected from the group consisting of soybean hull, dry “okrara” or soybean pulp, soybean germ, corn germ cake, corn outer hull, [whole soybean, defatted soybean,] rapeseed cake, and wheat germ.

14. (Amended) A method for producing ultra-finely crushed powder according to Claim [14] 13 wherein the crushing is carried out in the dry state by using high-speed compressed air or high-speed compressed gas.

15. (Amended) Food stuff comprising the ultra-finely crushed powder according to Claim 11 [or 12, or the ultra-finely crushed powder obtained by the method according to Claim 13 or 14].

16. (Amended) Culture medium for bacteria comprising the ultra-finely crushed powder according to Claim 11 [or 12, or the ultra-finely crushed powder obtained by the method according to Claim 13 or 14].

17. (Amended) Filler for shaping containers comprising the ultra-finely crushed powder according to Claim 11 [or 12, or the ultra-finely crushed powder obtained by the method according to Claim 13 or 14].

Claims 18-20 (New).--

2/PRTS

Method for Classifying Specific Tissue of Oilseeds or Cereals
and Finely Crushed Powders

Technical Field

The present invention relates to a method for producing a fraction derived from the fine structure portions of a specific tissue such as hulls, germ, and cakes obtained by fat extraction or protein extraction of oilseeds (seeds rich in oil and fat) or cereals, comprising crushing material of the specific tissue and classifying the same.

The invention further relates to ultra-finely crushed powder having 50% grain size (the grain size that corresponds to 50% of an accumulated distribution curve of each grain size, which is the same as "50% diameter D_{50} ") of 6 μm or less, to a method for producing ultra-finely crushed powder having 50% grain size of 10 μm or less by crushing them in a dry state, and various composition comprising the ultra-finely crushed powder.

Background Art

A huge amount of oilseeds such as soybean, rapeseed, corn, and wheat is imported from abroad every year for the production of oil and fat, protein, starch and the like. Their cotyledon and albumen are mainly used for the above production. Oil component is usually extracted with n-hexane from cotyledon, albumen and germ. Soybean protein is further extracted from the resulting extraction cake with water.

The technique called a "dry milling" is well known for separating in a dry state corn or wheat starch from their albumen, or soybean protein from cotyledon of the whole soybean or defatted soybean.

The Japanese Patent No. 2,803,853 discloses a method for the

09/807997-000001

separation of a protein-rich fraction and a fiber-rich fraction from wheat bran, in which the wheat bran was pulverized and classified into a fraction with a grain size of $300 \pm 25 \mu\text{m}$ or less and $100 \pm 25 \mu\text{m}$ or more, and a fraction with a grain size of $100 \pm 25 \mu\text{m}$ or less.

The Japanese Patent Application laid open No.Hei.7-265000 discloses ultra-finely crushed powder that was obtained by preliminarily crushing a bran fraction of wheat, barley, rye, oat, adlay, sorghum and the like by means of a cutting and shearing mill, followed by the crushing with a jet mill-type crusher or a shearing mill. However, it is apparent that 50% grain size of the ultra-finely crushed powder was ten and a few microns or more as judged from a grain distribution chart described in the above reference.

On the other hand, materials derived from other tissues than the above bran, or the extraction cake of cotyledon, albumen and germ are commercially utilized as feed and fertilizers at a low price. Those materials are also used as a starting material for the extraction of polysaccharides (for example, the Japanese Patent Application laid open No.Sho.64-62303 and the Japanese Patent Application laid open No.Hei.5-262802). And, they are finely milled to be used as food stuff (for example, the Japanese Patent Publication No.Hei.3-69270 in which corn fiber was crushed into particles of 100 microns or less with a colloid mill-type mass colloidizer in a wet state; and the Japanese Patent Application laid open No.Hei.3-67595 in which raw "okara" or soybean pulp (a solid by-product in the production of soybean curd "tofu") was crushed into particle with an average diameter of 25 microns or less with a homogenizer in a wet state).

The Japanese Patent Publication No.Hei.3-69270 discloses an example wherein the corn fiber was crushed into 100 microns in length at its maximum measuring direction with the colloid

mill-type mass colloidier. As seen from the figures 1 - 5 in the same publication, it looks like that 50 % grain size of the crushed material was several tens microns or more.

Further, the Japanese Patent Publication No.Hei.3-67595 discloses an example wherein raw "okara" was crushed by means of the homogenizer into particles with an average grain size of 7.0 microns according to the measurement with a Coulter counter. However, the resulting crushed material is no more than an intermediate aqueous suspension that is obtained as a result of a pretreatment for the acceleration of decomposition of protein and fiber contained in water-insoluble dietary fiber in the processes of the production of water-soluble polysaccharides from water-insoluble dietary fiber. The crushed material was therefore subjected further to the decomposition treatment of protein and fiber contained therein. This means that the crushed material per se will not be used as food stuff and the like.

Thus, although some techniques are already known for finely crushing the specific tissues of oilseeds to be used as food stuff, all of them are carried out in the wet state.

On the other hand, the crushing using a Pinmill-type crusher in a dry state could only produce particles with an average gain size of several tens microns or more. Even the crushing using a ball mill-type crusher that was thought to be most effective in producing fine particles in the dry state could not produce particles with 50 % grain size of ten microns or less when material which is bulky and light or slippery on its surface such as the bean hulls was charged in the dry state. Thus, there is no example in which finely crushed particles with 50 % grain size of ten microns or less are actually obtained in the dry method, either.

According to an observation in a micro scale, the tissues of

oilseeds and cereals do not have a uniform structure, but a non-uniform structure such as that having layers (Watanabe, Tokio, Hashizume et al., "Soybean and Its Preparation" Kenko Co., p.6, 20 June 1987). Each of fine structure portions of the non-uniform structure is expected to have different chemical components and to show different physical properties.

Accordingly, if the tissues could be classified into fractions of the above portions, physicochemical properties that are not sufficiently apparent in the whole tissues might clearly appear.

However, except the above examples, there is no prior art that discloses the classification of the specific tissues of oilseeds and cereals into the fractions of fine structure portions.

The present inventors have completed this invention based on the finding that the specific tissue of oilseeds and cereals can be classified into fractions of the fine structure portions in accordance with the differences in their physicochemical properties such as specific volume and grain size pending on sensitivity to crushing, after being crushed into particles with several to several hundreds microns and classified by means of a sorting with air or a sieve.

By the way, it is said that our tongue can not feel roughness any more for particles with the grain size of about 20 microns or less. Accordingly, since the materials with an average grain size of several tens microns feel rough on our tongue and they are inferior in taste and suspending property, opportunities of their use as food stuff have been limited.

When suspension comprising the fine particles with the average grain size of several tens microns is used as a starting material for fermentation, brewing or enzyme reaction, there occur some

problems to be resolved for an industrial application. That is, spore-forming bacteria can not be completely sterilized during a sterilization step and sterilization efficiency will become low, and precipitation will occur in a pipe line for transporting the suspension. Further, some precaution are always needed against corruption since the crushing in the prior arts was carried out in the wet state.

Besides, when the material with the average grain size several of tens microns is used as a filler material for shaping a container, the surface of the resulting container will become rough, and its quality will be inferior to a container comprising ultra-fine powder of calcium carbonate as the filler.

The present inventors have tested various methods in order to crush the material of the specific tissue of oilseeds and cereals into particles with 50 % grain size of 6 microns or less. As a result, we have succeeded in crushing the above materials into ultra-finely crushed powder having 50% grain size of 6 μ m or less, by using a method in which the materials collide to the wall of an apparatus or with each other by means of a high-speed compressed air or gas (Ultra-fine Jet Pulverizer (Kurimoto Ltd.), a jet miser, a micronizer, and Kriptron (Kawasaki Juko Co.), and the like).

Disclosure of the Invention

The present invention relates to a method for producing a fraction derived from the fine structure portions of a specific tissue of oilseeds or cereals, comprising crushing and classifying material of the specific tissue.

The term "specific tissue of oilseeds or cereals" means in this specification any tissues other than cotyledon, albumen and wheat bran, which may be classified into their fine structure

portions, including, for example, hulls (seed coat), germ, oil and fat-extraction cake, protein-extraction cake and the like.

Their preferred examples include the hulls of soybean, corn outer hull, rape seed, and sesame seed; husk; germs of soybean, corn, wheat, and rice; defatted rice bran; corn germ cake; dry "okara" or soybean pulp; cakes of rape seed and sesame seed.

The material of the specific tissue may be preliminarily dried before the crushing in order to control its water content, or may be used in an intact condition. The materials may be subjected to an appropriate treatment or processing.

Two or more kinds of the specific tissues may be combined at appropriate ratio and used as the material in the present invention.

Crushing may be carried out in this invention by any way and apparatus well known in the art both in a dry and wet state. In the wet state, the material has to be dried after crushing. Usually, the Pinmill-type crusher making use of shearing stress, mass colloidier, impact stress-type crusher, and jet a jet miser, are preferably used to crush the material so that the fine structure portions of each specific tissue may be well peeled and separated with each other to give their mixture.

Some kinds of the crushing methods may be combined and used in the present invention. And, crushing conditions such as a degree of the crushing may be selected optionally by those skilled in the art, depending on the kinds of materials, use and application of the desired fraction, the kind of classifying method and the like. For example, the material may be crushed into powder having 50 % grain size of about a few μm ~ several hundreds μm , i.e., of 5 μm ~ 500 μm so that their fine structure portions may be separated well.

Classifying may also be carried out in this invention by any way and apparatus well known in the art as long as it utilizes the differences in their physicochemical properties such as specific volume and grain size. For example, it may include the sorting with air and the sieve. The jet mill-type crusher may perform both crushing and classifying simultaneously.

Classifying conditions such as a degree of the classifying (the number of the resulting fractions) may be selected optionally by those skilled in the art, depending on the kinds of materials, use and application of the desired fraction, the kind of crushing method and the like.

Still, as shown by the following examples, it is preferred that the crushed material is classified into a fine fraction having 50 % grain size of a few μm ~ several tens μm , i.e., of 2 μm ~ 50 μm and a high specific volume of 2.5 ml/g ~ 3.1 ml/g, and a coarse fraction having 50 % grain size of several tens μm ~ several hundreds μm , i.e., of 50 μm ~ 500 μm and a low specific volume of 1.6 ml/g ~ 2.3 ml/g, since their physicochemical properties that are not sufficiently apparent in the original whole tissues will very likely appear clearly.

Mixture of one or more kinds of the fractions thus obtained may be used as the material in the present invention to be further crushed and classified.

The present invention is also related to the fraction derived from the fine structure portions of the specific tissue, which is obtained by the above method.

Especially, the fraction having 50 % grain size of a few μm ~ ten and several μm , i.e., of 2 μm ~ 15 μm is preferred since it has excellent properties.

The fraction according to the present invention is not

necessarily derived from one kind of the fine structure portions, but may contain more tow or more kinds of the fine structure portions depending on the crushing and classifying conditions.

The present invention is further related to ultra-finely crushed powder having 50 % grain size of 6 μm or less, preferably 4 μm or less, which is obtained from the material of the specific tissue of the oilseeds or cereals.

The method for crushing of the materials may be optionally selected without any limitation by those skilled in the art as long as the desired 50 % grain size is obtained. As described before, the methods are preferred in which the material collides to the wall of an apparatus or with each other by means of a high-speed compressed air or gas, or by means of rotation at a high speed, using the jet mill-type crusher (Kurimoto Ltd.), the jet miser, the micronizer, and Kriptron (Kawasaki Juko Co.), and the like.

A classifying rotor may be combined with the above apparatus in appropriate conditions to obtain the ultra-finely crushed powder having a desired grain size more effectively.

The invention is therefore related to a method for producing ultra-finely crushed powder having 50 % grain size of 10 μm or less, preferably 6 μm or less, more preferably 4 μm or less, comprising crushing the material of the specific tissue of oilseeds or cereals in a dry state.

Preferably, the crushing is carried out in the dry state by using the high-speed compressed air or gas.

The crushing conditions may be selected optionally by those skilled in the art, depending on the kinds of materials, the desired average grain size, and use and application of the resulting ultra-finely crushed powder.

The materials may be directly crushed, or may be preliminarily crushed with a mechanical crusher such as the Pinmill-type crusher to a grain size of several tens μm ~ several hundreds μm , for example, 50 μm ~ 300 μm so as to shorten the time for crushing into the ultra-finely crushed powder of the present invention.

Mixture of two or more kinds of the materials of the specific tissues may be subjected to the crushing method of the present invention. Alternatively, mixture of two or more kinds of the ultra-finely crushed powder that are derived from different materials may be included in the present invention. Mixing ratios in these mixtures may be optionally selected by those skilled in the art depending on their use and the like.

The ultra-finely crushed powder of the present invention is much more advantageous than the conventional finely-crushed powder having 50 % grain size of several tens μm ~ ten and several μm in the following aspects:

- 1) properties as food stuff such as smoothness, water holding capacity, suspension-state holding capacity;
- 2) sterilization efficiency of the suspension and transportation efficiency in the pipe line when used as material for fermentation;
- 3) extraction efficiency of various components contained in the ultra-finely crushed powder;
- 4) reaction efficiency with enzymes, digestion and absorption efficiency, and feed efficiency when used as feed component;
- 5) quality of containers such as a food tray having a good biodegradability, which comprises the ultra-finely crushed powder of the present invention as filler.

Accordingly, the present invention is also related to various kinds of compositions that comprise the ultra-finely crushed powder of the present invention, such as food stuff for various

108080 66/0350

kinds of food (confectionery, bread, desserts such as ice cream, source, retort pouched food, oil and fat food, emulsified food, liquid food, dietary fiber-enriched food, low-calorie food, low-fat food, nutritional component-enriched food, animal food product, marine product and the like), a culture medium for bacteria in fermentation and brewing, filler for shaping containers including the food trays, and the containers comprising the filler.

Brief Description of Drawings

Fig.1 shows charts of the grain size distribution of the ultra-finely crushed soybean hull obtained by the treatment with the Pinmill-type crusher two times (50 % grain size:75 μm)(A), the soybean hull-derived "fine" powder obtained by the sorting with air of the ultra-finely crushed soybean hull (A) (50 % grain size:12 μm)(B), and the soybean hull-derived "coarse" powder obtained by the same way (50 % grain size:163 μm)(C). In each chart, a bar graph represents frequency (%) scaled on the left vertical axis, and a line graph represents accumulation (%) scaled on the right vertical axis. A horizontal axis means grain size (μm).

Fig.2 shows charts of the grain size distribution of various kinds of the ultra-finely crushed powder prepared in Example 7.

(a):soybean hull (50 % grain size:6.0 μm); (b):soybean hull (50 % grain size:3.4 μm); (c):dreid "Okara" (50 % grain size:3.1 μm); (d):corn germ cake (50 % grain size:5.0 μm); and (e):roasted soybean germ (50 % grain size:3.4 μm). In each chart, a bar graph represents frequency (%) scaled on the left vertical axis, and a line graph represents accumulation (%) scaled on the right vertical axis. A horizontal axis means grain size (μm).

Best Mode for Carrying Out the Invention

The value of "50% grain size" in the following examples was measured in ethanol by means of MICROTRAC II DRY SYSTEM (NIKKISO). The term "50% grain size" means the grain size that corresponds to 50% of an accumulated distribution curve of each grain size, which is the same as "50% diameter D_{50} ".

The T-N (Total Nitrogen) value was measured in Kjeldahl method with KJELTEC AUTO 1030 Analyzer.

The specific volume was determined as follows: the ultra-finely crushed powder was gradually added to a measuring cylinder (500 ml) while being vibrated until a level of 500 ml would not change any more, and the weight of the ultra-finely crushed powder comprised at the level of 500 ml was measured. The specific volume was calculated from the weight thus measured.

The present invention will be specifically described by referring to the following examples, which should not be construed to limit the technical scope of the present invention.

Example 1

Soybean hull was crushed with a Pinmill type crusher. In the case of Pallmann-Universal Mill PX, the crushing was done at a rotation rate of 17,000/min. and a charged amount being about 60 kg/hr. 50% grain size of the resulting crushed powder was 150 μm . The second, third and forth (final) crushing in the same conditions gave the ultra-finely crushed powder derived from the soybean hull having 50% grain size of 75 μm , 43 μm , and 28 μm , respectively (Table 1). They were then classified with the air sorting. The classifying conditions are summarized in Table 2 below. The results of the classification are shown in Table 3.

[Table 1]

	Times of Crushing	50% Grain Size
Soybean hull	one	150 μm
	two	75
	three	(43)
	four	28

[Table 2]

Material	50% Grain Size	Air Rate	Rotation in Sorting	Production Rate
Pinmill Crsushing (once)	150 μm	1 m ³ /min	3,000 rpm	1440 g/h
Pinmill Crsushing (twice)	75	the same as above	5,000	1280
Pinmill Crsushing (four times)	28	the same as above	5,000	975

[Table 3]

Material (Soybean hull)		Fractions by Classification with the Air Sorting							
		Fine (light) Powder				Coarse (heavy) Powder			
		Color	50 % Grain Size	Yield %	T-N%	Color	50 % Grain Size	Yield %	T-N%
Pinmill Crsushing (once)	150 μ m	White- gray	26 μ m	37	5.65	Sepia	223 μ m	63	1.64
Pinmill Crsushing (twice)	75	White- gray	12	36	6.16	Sepia	163	64	1.78
Pinmill Crsushing (four tiems)	28	White- gray	11	44	4.11	Sepia	77	56	1.31

As shown in Table 3, each of the resulting powder was classified into a fine (light) powder fraction and coarse (heavy) powder fraction, each fraction having different values of 50% grain size and T-N. The fact that these two fractions have a different microscopic shape with each other seems to demonstrate the difference in their fine structure. The color of the crushed powder before the air sorting was pale sepia.

Analytical values of the contents of the fine and coarse fractions classified from the ultra-finely crushed powder obtained through the above four crushing procedures with the Pinmill-type crusher are summarized in Table 4. The specific volume of the fine powder was 2.73 ml/g, and that of the coarse powder 2.02 ml/g.

[Table 4]

Sample	Water %	Protein %	Fat & Oil %	Fiber %	Ash %	Sugars %	Dietary Fiber %	Energy
Fine Powder	7.2	24.0	6.2	13.0	6.8	42.8	47.4	375 kcal
Coarse Powder	6.8	8.0	1.7	37.6	4.3	41.6	76.5	364

(Analyzed by Japan Food Analysis Center)

As shown in Table 4, the analytical values of the contents of water, protein, fat and oil, fiber, ash, sugars, and dietary fiber, and of energy were significantly different with each other, which means that the fine structure of the soybean hull was classified according to the present method.

Fig.1 shows the grain size distribution of the soybean hull-derived fine powder (specific volume: 2.84 ml/g) and the soybean hull-derived coarse powder (specific volume: 1.92 ml/g), which were classified with the air sorting from the ultra-finely crushed soybean hull obtained by the treatment with the

Pinmill-type crusher twice. Fig.1 demonstrates that the soybean hull can be classified, and a fraction obtained by the classification can be more finely classified again.

Example 2

Dry "okara", corn germ cake and soybean germ were used as a starting material of the present invention.

Dry "okara" (freeze-dried raw "okara"), corn germ cake and soybean germ were pre-heated at 80 ° C or more and crushed with the Pinmill-type crusher. The resulting products were then crushed with a jet mill-type crusher (air pressure:7kg/cm², nozzle:3φ, 11,500 rpm) while being classified with air sorting into a fine powder fraction that was discharged from the upper part of the crusher and a coarse powder fraction that remained in it. The results are shown in Table 5.

[Table 5]

	Material		Fraction			
	Pinmill Crsushing (once)		Fine Powder		Coarse Powder	
	50% Grain Size	T-N %	50% Grain Size	T-N %	50% Grain Size	T-N %
Dry "Okara"	93 μm	6.06	3.1 μm	4.57	10.4	6.34
Corn Germ Cake	361	2.72	5.0	3.18	24.0	2.56
Soybean Germ	54	6.03	3.4	5.89	22.0	6.21

The N-T value of the resulting fine powder was different from that of the starting material, demonstrating that the crushed material was classified into the fine powder and coarse powder that reflected a micro partial structure of the material.

Example 3

The ultra-finely crushed soybean hull powder (50 % grain size: 75 μm) obtained by the treatment with the Pinmill-type crusher twice under the same conditions as in Example 1 was classified with various kinds of a vibrating sieve having 60 - 400 meshes for 5 min. The weight of each resulting fraction was determined and their 50 % grain size was calculated. The results are shown in Table 6.

Table 6 shows that peaks in the weight are found in the fractions obtained with 250-400 mesh (50 % grain size: 39 μm) and 80-120 mesh (50 % grain size: 172 μm). If fine powder and coarse powder are divided into two fractions on the borderline of 400 mesh, the ratio between the two fractions will be 31:69, showing that it is possible to carry out the classification with the sieve according to the present invention.

[Table 6]

Meshes	Below 400	250-400	200-250	120-200	80-120	60-80	Over 60	
Weight %	3.6	27.2	12.5	18.8	19.1	12.2	6.6	100 %
50% Grain Size	18	39	64	125	172	247	386	

Example 4

The ultra-finely crushed soybean hull powder (50 % grain size: 75 μm) obtained by the treatment with the Pinmill-type crusher twice under the same conditions as in Example 1 was classified with the air sorting according the same conditions as in Example 1 to give a fraction of fine powder (50 % grain size: 12 μm) and a fraction coarse powder (50 % grain size: 163 μm).

Water-soluble protein and polysaccharides were then extracted

from the above fractions.

The powder (50 g) was mixed with water (500 ml), adjusted to pH 9, and stirred at a room temperature for 60 min for extraction, followed by centrifugation to remove contaminants. Supernatant was lyophilized to give a solid material. Table 7 shows the extract conditions, extraction rate and T-N values of the extracts.

As shown in Table 7, the fine powder has a higher extraction efficiency (yield) and T-N value than those of the whole part of the crushed soybean hull, demonstrating that the fine powder is more advantageous as a starting material for the extraction of the protein.

[Table 7]

Material	Yield of Extract in Water at pH 9, room temp., 60 min	T-N %
Crushed Soybean Hull Powder	12 %	4.1
Fine powder	25	6.2
Coarse Powder	8	2.3

Example 5

The ultra-finely crushed soybean hull powder (50 % grain size: 75 μm), the fraction of fine powder (50 % grain size: 12 μm) and the fraction of coarse powder (50 % grain size: 163 μm), which were obtained in Example 4, were used as starting materials for the extraction of oil contained therein with n-hexane. The extracted oil was subjected to a thin layer chromatography and gas chromatography to determine a total amount of phytosterol according to a standard oil analysis test (Japan Oil Chemists Society).

The results summarized in Table 8 show that the oil content in the coarse powder was 1.7 %, whereas the total amount of phytosterol was 22.7 % that is about 56 times as high as that of a usual soybean oil. On the other hand, the oil content in the fine powder was 6.2 % that is about 3.6 times as high as that in the coarse powder, but the total amount of phytosterol was about one fifth of that in the coarse powder.

Thus, it is possible to classify the soybean hull crushed powder and to extract a specific and advantageous component locally existing in the hull part such as phytosterol from the classified products in a more effective way at a high concentration. The phytosterol is known to have a function to inhibit the absorption of cholesterol or to promote its discharge from a body. The coarse powder, which corresponds to the fraction according to the present invention, is advantageous as a starting material for a oil component that is rich in phytosterol. The measurement of the total amount of phytosterol was carried out by JAPAN OILSTUFF INSPECTORS.

[Table 8]

Material	Oil Content %	Total Amount of Phytosterol %
Crushed Soybean Hull Powder	3.1	7.0
Fine powder	6.2	5.7
Coarse Powder	1.7	8.3
Normal Soybean	18 - 20	0.4

Example 6

Each 20 g of the fraction of fine powder (50 % grain size: 12 μm) and the fraction of coarse powder (50 % grain size: 163 μm), which were obtained in Example 4, was mixed with water (200 ml) and subjected to the extraction with stirring at pH 4.5 and a room temperature for 60 min, followed by centrifugation to

remove solid components. The resulting extract was lyophilized and subjected to an amino acid analysis. The results in Table 9 show that the fraction of the coarse powder of the soybean hull according to the present invention is advantageous as a starting material for the extraction of protein that is rich in HO-Pro contained in the soybean hull since it has a significantly high content of HO-Pro in water extract.

[Table 9]

	HO-Pro (mole %)
Fine Powder	0.0
Coarse Powder	4.1
Soybean Globulin	0.0

Example 7

The soybean hull was roughly cut into cubes of about 1-3 mm³ and preliminarily crushed with the Pinmill-type crusher. Dry "okara" (lyophilized flakes of raw "okara") and corn germ cake were preliminarily crushed with the Pinmill-type crusher. Roasted soybean germ was prepared by preliminarily heating the soybean germ cake at 80 ° C for 40 min, and preliminarily crushed with the Pinmill-type crusher. These materials were then crushed with Ultra-fine Jet Pulverizer(Kurimoto Ltd.). The crushing conditions and 50 % gain size of the resulting ultra-finely crushed powder are summarized in Table 10.

[Table 10]

Material		Crushing Conditions	Results
	50 % Grain Size(μm)	Rotation Rate and Air Pressure	50 % Grain Size(μm)
Soybean Hull	$1 - 3 \times 10^3$	10,000 rpm, 7 kg/cm ²	6.0
Soybean Hull	150	the same as the above	3.4
Dry "Okara"	93	11,500 rpm, 7 kg/cm ²	3.1
Corn Germ Cake	361	6,000 rpm, 8 kg/cm ²	5.0
Roasted Soybean Germ	54	10,000 rpm, 7 kg/cm ²	3.4

As shown in Table 10, the values of about 3-6 μm were obtained with respect to 50 % grain size for all of the materials used. Refer to the grain size distribution in Fig. 2 as well.

(1) Flaked and defatted soybean germ, (2) flaked and defatted soybean cotyledon and (3) dry and crushed "okara" were ultra-finely crushed using Kriptron KTE- type crusher (Kawasaki Heavy Industry Co.). The crushing conditions and the results are summarized in Table 11.

[Table 11]

No.	Material	Sizes	Rotation Rate	Air Rate (Nm ³ /min)	Feed Rate (Kg/hr)	Results (50 % Grain Size)
1	Flaked and Defatted Soybean Germ	0.1 - 5 mm long, 0.05 - 1.5 mm thick	10,400 rpm	8	15	6.4
2	Flaked and Defatted Soybean Cotyledon	0.1 - 7 mm long, 0.05 - 1.5 mm thick	10,400 rpm	8	15	6.7
3	Dry and Crushed "Okara"	10 μm (50 % Grain Size)	10,400 rpm	8	15	7.4

As shown in Table 11, the values of about 6-8 μm were obtained with respect to 50 % grain size for all of the materials used.

Example 8

The suspendibility of the ultra-finely crushed powder obtained in Example 7 was evaluated. After each ultra-finely crushed powder (1 g) was suspended in water (100 ml), the resulting suspension was moved to a measuring cylinder (100 ml) and allowed to stand at a room temperature for 24 hr. The level of the boundary between a transparent layer and an opaque suspension layer was recorded. For comparison, suspendibility of each of the powder crushed with the Pinmill-type crusher was measured in the same way.

As shown in Fig. 12, the boundary level of the crushed powder having 50 % grain size of several hundreds μm ~ several tens μm become 10 ml or less after 24 hr. On the other hand, the ultra-finely crushed powder having 50 % grain size of about 3 μm ~ 6 μm according to the present invention kept its boundary level around 95 ml even after 24 hr, demonstrating that its precipitating rate has been significantly decreased while its suspendibility has been significantly improved.

For comparison, the corn fiber crushed into particles of 100 microns or less with the colloid mill-type mass colloidizer in the wet state described the Japanese Patent Publication No.Hei.3-69270 was also subjected to the same experiment to show the boundary level of 18 ml.

[Table 12]

Ultra-finely Crushed Powder	Crushed Powder With Jetmill 50% Grain Size (μm)	Level of the Boundary after 24 hrs (ml)	Crushed Powder With Pinmill 50% Grain Size (μm)	Level of the Boundary after 24 hrs (ml)
Soybean Hull	6.0	93	95	7
Dry "Okara"	3.1	93	93	8
Corn Germ Cake	5.0	97	361	6
Roasted Soybean Germ	3.4	97	54	5

Example 9

The ultra-finely crushed powder obtained in Example 7 was used as food stuff.

(1)Hamburger: The difference in taste was compared and evaluated between a control hamburger and a test one comprising the ultra-finely crushed powder of soybean hull having 50 % grain size of 6.0 μm .

Mixed ground meat of pork and beef 40.1 (parts); soybean protein 2.8(parts); water 11.5(parts); soybean oil 2.8(parts); onion 17.2(parts); bread crumb 8.6(parts); milk 8.6(parts); egg 7.2(parts); salt 1.0(parts); pepper 0.06(parts); and nutmeg 0.05 (parts)were kneaded, shaped and heated to give a control product. A test product was prepared following the same recipe except that the soybean protein 0.5 was replaced with the same amount of the above ultra-finely crushed powder of soybean hull.

According to a sensory test by a panel consisting of eight persons, no panelist felt roughness for the test product, and the test product was evaluated to be superior to the control one in both hardness and no paste-like feeling. Furthermore, they evaluated that the test product was superior to the control one in binding property and shape-holding capability.

(Evaluation: 1(bad) - 5(excellent))

[Table 13]

	Results of Sensory Test		
	Hardness	No Paste-like Feeling	Total Feeling
Control Product	2.8	1.5	2.7
Test Product	3.1	1.7	3.1

(2) Beverage: A test product was prepared by adding the ultra-finely crushed powder of "okara" (50 % grain size: 3.1 μ m) to commercial orange juice to a final concentration of 1%. On the other hand, a control product was prepared by adding dry "okara" crushed with the Pinmill type crusher (50 % grain size : 93 μ m) to commercial orange juice to a final concentration of 1%. The results obtained in the sensory test by the panel are summarized in Table 14.

(Evaluation: 1(bad) - 5(excellent))

[Table 14]

	Results of Sensory Test		
	Feeling in Throat	Roughness	Feeling in Drinking
Control Product	1.5	1.2	1.2
Test Product	4.2	4.5	4.5

As shown in Table 14, the ultra-finely crushed powder of "okara" (50 % grain size : 3.1 μ m) is evaluated to be superior to the dry "okara" crushed with the Pinmill type crusher(50 % grain size:93 μ m) in the sensory test.

(3) Ice cram: A test product was prepared in a conventional manner by mixing fresh cream 200 ml, milk 100 ml, roasted soybean germ crushed ultra-finely (50 % grain size: 3.4 μ m) 6 g, sugar

30 g, two pieces of egg yolk, and vanilla essence 0.35 ml. The resulting nice-smelling ice cream had no roughness and gave completely the same feeling on our tongue as commercially available ice cream comprising no roasted soybean germ crushed ultra-finely.

Example 10

A culture medium (40 ml, pH 7.3) comprising 5.0 g of the ultra-finely crushed powder of soybean hull (50 % grain size: 6.0 μ m) obtained in Example 7, glucose 0.1 g, KH_2PO_4 0.4g, $\text{MgSO}_4 \cdot 7\text{H}_2\text{O}$ 0.05 g, soy milk 130 mg, $\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$ 1 mg, VB_1 500 μ g and biotin 500 μ g was put into a shaking flask (500 ml), capped with a cotton cap, sterilized at 120 ° C for 30 min and subjected to a shaking culture (35 ° C, 113 rpm) for one month.

No growth of bacteria was observed, showing that the sterilization had been sufficiently done. On the other hand, in the case where the ultra-finely crushed powder of soybean hull (50 % grain size: 95 μ m) was used instead of the above ultra-finely crushed powder of the present invention in the same way, the growth of bacteria was observed. This result shows that the sterilization was not sufficiently done.

Example 11

Various kinds of soybean hull (50 g each) having different 50 % grain size were suspended in water (300 ml), and stirred at a room temperature for 30 min to give water soluble extract. Upper liquid layer was taken out with centrifugation, lyophilized and weighed to give a yield of the extract. The results are shown in Table 15.

[Table 15]

Soybean Hull 50 % Grain Size	Yield of Extract
6 μm	14%
37 μm	10%
95 μm	8%
1~3 mm	5%

As shown in Table 15, the soybean hull powder crushed ultra-finely up to 50 % grain size of 6.0 μm according to the present invention has been significantly improved in the yield of the extract compared with the powder having a larger grain size.

Example 12

The ultra-finely crushed powder of soybean hull (50 % grain size: 3.4 μm) obtained in Example 7 (26 (parts)), corn protein zein 19 (parts), salt 0.5 (parts), ethanol 33 (parts) and water 22 (parts) were mixed well, shaped in a cast and baked at 150 ° C for 5 min to give a tray of 10 cm in diameter, 3 cm high, and 2.5 mm thick. The resulting tray had a smooth surface and enough strength to be used as a tray for food.

For comparison, the soybean hull crushed with the Pinmill type crusher five times (50 % grain size: 12 μm) was used in the same composition and way as above to give a comparative tray. The comparative tray was inferior to the above tray in brightness and strength.

Accordingly, it is shown that the ultra-finely crushed powder (50 % grain size: 3.4 μm) is more advantageous as filler for the production of the food tray than the conventionally used powder (50 % grain size: 12 μm).

Industrial Applicability

As shown by the above examples, the physicochemical properties that are not sufficiently apparent in the whole tissues have appeared in the fractions according to the present invention.

Accordingly, the present fraction as such may be used, for example, as food stuff for various kinds of food (confectionery, bread, desserts such as ice cream, source, retort pouched food, oil and fat food, emulsified food, liquid food, dietary fiber-enriched food, low-calorie food, low-fat food, nutritional component-enriched food, animal food product and marine product and the like), feed, and material for chemical products. The fraction may be also used as a starting material for effectively extracting specific components such as oil and fat or protein based on the difference in the contents of chemical components among the fractions.

The ultra-finely crushed powder according to the present invention has various excellent properties when used as food stuff, such as smooth feeling on tongue, water-holding capacity, and suspendibility in beverage. Furthermore, it shows excellent properties in extracting the contents therein, excellent properties as the component in a culture medium for bacteria in fermentation and brewing, such as excellent sterilization efficiency and transportation efficiency, and excellent properties as the filler for shaping the containers.

What is claimed is:

1. A method for producing a fraction derived from the fine structure portions of a specific tissue of oilseeds or cereals, comprising crushing and classifying material of the specific tissue.
2. A method according to Claim 1 wherein the specific tissue is hull.
3. A method according to Claim 2 wherein the hull is selected from the group consisting of soybean hull, corn outer hull, rape seed hull, sesame seed hull and husk.
4. A method according to Claim 1 wherein the specific tissue is germ.
5. A method according to Claim 4 wherein the germ is selected from the group consisting of soybean germ, corn germ, wheat germ, and rice germ.
6. A method according to Claim 1 wherein the specific tissue is oil and fat extraction cake or protein extraction cake.
7. A method according to Claim 6 wherein the oil and fat-extraction cake or protein-extraction cake is selected from the group consisting of defatted rice bran, corn germ cake, dry "okara" or soybean pulp, rape seed cake and sesame seed cake.
8. A method according to one of Claims 1-7 wherein the classification is carried out based on the difference in specific volume or grain size of the crushed fine structure.
9. A method according to one of Claims 1-7 wherein the material is the fraction obtained by the method according to one of Claims 1-7.
10. A fraction derived from the fine structure portions of a specific tissue of oilseeds or cereals, which is obtained by the method according to one of Claims 1-9.
11. An ultra-finely crushed powder having 50 % grain size of 6 μ m or less, which is obtained from the material of a specific tissue of oilseeds or cereals.

12. An ultra-finely crushed powder according to Claim 11 wherein the material is selected from the group consisting of soybean hull, dry "okara" or soybean pulp, soybean germ, corn germ cake, corn outer hull, whole soybean, defatted soybean, rapeseed cake, and wheat germ.
13. A method for producing ultra-finely crushed powder having 50 % grain size of 10 μ m or less, comprising crushing material of the specific tissue of oilseeds or cereals in a dry state.
14. A method for producing ultra-finely crushed powder according to Claim 14 wherein the crushing is carried out in the dry state by using high-speed compressed air or high-speed compressed gas.
15. Food stuff comprising the ultra-finely crushed powder according to Claim 11 or 12, or the ultra-finely crushed powder obtained by the method according to Claim 13 or 14.
16. Culture medium for bacteria comprising the ultra-finely crushed powder according to Claim 11 or 12, or the ultra-finely crushed powder obtained by the method according to Claim 13 or 14.
17. Filler for shaping containers comprising the ultra-finely crushed powder according to Claim 11 or 12, or the ultra-finely crushed powder obtained by the method according to Claim 13 or 14.

ABSTRACT

The purpose of the present invention is to classify tissues of oilseeds and cereals into the fractions of fine structure portions so that physicochemical properties that are not sufficiently apparent in the whole tissues may clearly appear.

The purpose of the present invention is to provide ultra-finely crushed powder that is much more advantageous in the following aspects:

- 1) properties as food stuff such as smoothness, water holding capacity, suspension-state holding capacity;
- 2) sterilization efficiency of the suspension and transportation efficiency in the pipe line when used as material for fermentation;
- 3) extraction efficiency of various components contained in the ultra-finely crushed powder;
- 4) reaction efficiency with enzymes, digestion and absorption efficiency, and feed efficiency when used as feed component;
- 5) quality of containers such as a food tray having a good biodegradability, which comprises the ultra-finely crushed powder of the present invention as filler.

The present invention relates to a method for producing a fraction derived from the fine structure portions of a specific tissue of oilseeds or cereals, comprising crushing and classifying material of the specific tissue.

The present invention relates to an ultra-finely crushed powder having 50 % grain size of 6 μm or less, which is obtained from the material of a specific tissue of oilseeds or cereals.

The present invention relates to a method for producing ultra-finely crushed powder having 50 % grain size of 10 μm or less, comprising crushing material of the specific tissue of oilseeds or cereals in a dry state.



Fig. 1









Fig. 2



Declaration and Power of Attorney For Patent Application

特許出願宣言書及び委任状

Japanese Language Declaration

日本語宣言書

下記の氏名の発明者として、私は以下の通り宣言します。

私の住所、私書箱、国籍は下記の私の氏名の後に記載された通りです。

下記の名称の発明に関して請求範囲に記載され、特許出願している発明内容について、私が最初かつ唯一の発明者（下記の氏名が一つの場合）もしくは最初かつ共同発明者（下記の名称が複数の場合）であると信じています。

上記発明の明細書は、

☐ 本書に添付されています。

☒ 月 日に提出され、米国出願番号または特許協定条約国際出願番号を _____ とし、
(該当する場合) _____ に訂正されました。

私は、特許請求範囲を含む上記訂正後の明細書を検討し、内容を理解していることをここに表明します。

私は、連邦規則法典第37編第1条56項に定義されるとおり、特許資格の有無について重要な情報を開示する義務があることを認めます。

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled.

METHOD FOR CLASSIFYING SPECIFIC TISSUE OF

OILSEEDS OR CEREALS AND FINELY CRUSHED

POWDERS

the specification of which

☐ is attached hereto.

☒ was filed on May 4, 2001

as United States Application Number or

PCT International Application Number

09/807,997 and was amended on

(if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

Japanese Language Declaration
(日本語宣言書)

私は、米国法典第35編119条 (a) - (d) 項又は365条 (b) 項に基づき下記の、米国以外の国の少なくとも一カ国を指定している特許協力条約365 (a) 項に基づく国際出願、又は外国での特許出願もしくは発明者証の出願についての外国優先権をここに主張するとともに、優先権を主張している、本出願の前に出願された特許または発明者証の外国出願を以下に、枠内をマークすることで、示しています。

Prior Foreign Application(s)

外国での先行出願

10/314150

JAPAN

(Number)
(番号)

(Country)
(国名)

10/336688

JAPAN

(Number)
(番号)

(Country)
(国名)

I hereby claim foreign priority under Title 35, United States Code, Section 119 (a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

Priority Claimed

優先権主張

5 November 1998

(Day/Month/Year Filed)
(出願年月日)

☒

☐

Yes
はい

No
いいえ

27 November 1998

(Day/Month/Year Filed)
(出願年月日)

☒

☐

Yes
はい

No
いいえ

私は、第35編米国法典119条 (e) 項に基づいて下記の米国特許出願規定に記載された権利をここに主張いたします。

(Application No.)
(出願番号)

(Filing Date)
(出願日)

私は、下記の米国法典第35編120条に基づいて下記の米国特許出願に記載された権利、又は米国を指定している特許協力条約365条 (c) に基づく権利をここに主張します。また、本出願の各請求範囲の内容が米国法典第35編112条第1項又は特許協力条約で規定された方法で先行する米国特許出願に開示されていない限り、その先行米国出願書提出日以降で本出願書の日本国内または特許協力条約国際提出日までの期間中に入手された、連邦規則法典第37編1条56項で定義された特許資格の有無に関する重要な情報について開示義務があることを認識しています。

PCT/JP99/06159

(Application No.)
(出願番号)

5 November 1999

(Filing Date)
(出願日)

(Application No.)
(出願番号)

(Filing Date)
(出願日)

私は、私自信の知識に基づいて本宣言書中で私が行なう表明が真実であり、かつ私の入手した情報と私の信じるところに基づく表明が全て真実であると信じていること、さらに故意になされた虚偽の表明及びそれと同等の行為は米国法典第18編第1001条に基づき、罰金または拘禁、もしくはその両方により処罰されること、そしてそのような故意による虚偽の声明を行なえば、出願した、又は既に許可された特許の有効性が失われることを認識し、よってここに上記のごとく宣誓を致します。

I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below.

(Application No.)
(出願番号)

(Filing Date)
(出願日)

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of application.

(Status: Patented, Pending, Abandoned)
(現況: 特許許可済、係属中、放棄済)

(Status: Patented, Pending, Abandoned)
(現況: 特許許可済、係属中、放棄済)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Japanese Language Declaration

(日本語宣言書)

委任状：私は下記の発明者として、本出願に関する一切の手続きを米特許商標局に対して遂行する弁理士または代理人として、下記の者を指名いたします。

(弁理士、または代理人の指名及び登録番号を明記のこと)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: (list name and registration number)

Norman F. Oblon, Reg. No. 24,618; Marvin J. Spivak, Reg. No. 24,913; C. Irvin McClelland, Reg. No. 21,124; Gregory J. Maier, Reg. No. 25,699; Arthur I. Neustadt, Reg. No. 24,854; Richard D. Kelly, Reg. No. 27,757; James D. Hamilton, Reg. No. 28,421; Eckhard H. Kuesters, Reg. No. 28,870; Robert T. Pous, Reg. No. 29,099; Charles L. Gholz, Reg. No. 26,395; William E. Beaumont, Reg. No. 30,996; Jean-Paul Lavalleye, Reg. No. 31,451; Stephen G. Baxter, Reg. No. 32,884; Richard L. Treanor, Reg. No. 36,379; Steven P. Weihrouch, Reg. No. 32,829; John T. Goolkasian, Reg. No. 26,142; Richard L. Chinn, Reg. No. 34,305; Steven E. Lipman, Reg. No. 30,011; Carl E. Schlier, Reg. No. 34,426; James J. Kulbaski, Reg. No. 34,648; Richard A. Neifeld, Reg. No. 35,299; J. Derek Mason, Reg. No. 35,270; Surinder Sachar, Reg. No. 34,425; Jeffrey B. McIntyre, Reg. No. 36,867; William T. Enos, Reg. No. 33,128; Michael E. McCabe, Jr., Reg. No. 37,182; Bradley D. Lytle, Reg. No. 40,073; and Michael R. Casey, Reg. No. 40,294, with full powers of substitution and revocation.

書類送付先

Send Correspondence to:

OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C.

FOURTH FLOOR

1755 JEFFERSON DAVIS HIGHWAY

ARLINGTON, VIRGINIA 22202 U.S.A.

直接電話連絡先：(名前及び電話番号)

Direct Telephone Calls to: (name and telephone number)

(703) 413-3000

単独発明者または第一の共同発明者の氏名	Full name of sole or first joint inventor Yoichi OZAWA	
発明者の署名	日付	Inventor's signature Yoichi Ozawa Date July 4, 2001
住所	1-W	Residence Kanagawa, Japan
国籍		Citizenship Japanese
郵便の宛先	Post Office Address c/o Food Research & Development Laboratories, Ajinomoto Co., Inc.	
	1-1, Suzuki-cho, Kawasaki-ku, Kawasaki-shi, Kanagawa 210-8681 JAPAN	
第二の共同発明者の氏名	Full name of second joint inventor, if any Teruo YOSHIDA	
第二の共同発明者の署名	日付	Second joint inventor's signature Teruo Yoshida Date 11. Jul. 2001
住所	2-W	Residence Kanagawa, Japan
国籍		Citizenship Japanese
郵便の宛先	Post Office Address c/o Food Research & Development Laboratories, Ajinomoto Co., Inc.	
	1-1, Suzuki-cho, Kawasaki-ku, Kawasaki-shi, Kanagawa 210-8681 JAPAN	

(第三以降の共同発明者についても同様に記載し、署名すること)

(Supply similar information and signature for third and subsequent joint inventors.)

Japanese Language Declaration

(日本語宣言書)

第三の共同発明者の氏名	Full name of third joint inventor, if any Yasuchi MORINAGA		
第三の共同発明者の署名	日付	Third joint Inventor's signature <i>Yasuchi Morinaga</i>	Date Jun. 26, 2001
住所	Residence Kanagawa, Japan <i>SP</i>		
国籍	Citizenship Japanese		
郵便の宛先	Post Office Address c/o Food Research & Development Laboratories, Ajinomoto Co., Inc. 1-1, Suzuki-cho, Kawasaki-ku, Kawasaki-shi, Kanagawa 210-8681 JAPAN		

第四の共同発明者の氏名	Full name of fourth joint inventor, if any Goro UENO		
第四の共同発明者の署名	日付	Fourth joint Inventor's signature <i>Goro Ueno</i>	Date July 16, 2001
住所	Residence Kanagawa, Japan <i>SP</i>		
国籍	Citizenship Japanese		
郵便の宛先	Post Office Address c/o Ajinomoto Oil Mills Co., Inc. 7-14, Daikoku-cho, Tsurumi-ku, Yokohama-shi, Kanagawa 230-0053 JAPAN		

第五の共同発明者の氏名	Full name of fifth joint inventor, if any Akihiro NAKATANI		
第五の共同発明者の署名	日付	Fifth joint Inventor's signature <i>Akihiro Nakatani</i>	Date July 19, 2001
住所	Residence Kanagawa, Japan <i>SP</i>		
国籍	Citizenship Japanese		
郵便の宛先	Post Office Address c/o Ajinomoto Oil Mills Co., Inc. 7-14, Daikoku-cho, Tsurumi-ku, Yokohama-shi, Kanagawa 230-0053 JAPAN		

第六の共同発明者の氏名	Full name of sixth joint inventor, if any		
第六の共同発明者の署名	日付	Sixth joint Inventor's signature	Date
住所	Residence		
国籍	Citizenship		
郵便の宛先	Post Office Address		

(第六またはそれ以降の共同発明者に対しても同様な情報および署名を提供すること。)

(Supply similar information and signature for third and subsequent joint inventors.)